

Lançar App na Apple Store

Configure um projeto para envio na loja.


Certificado de Perfil do app

No **Safari** acesse a página [Certificados da Apple](#).

Os dados de login se encontram na planilha, a autenticação de dois fatores está ativada, mas o código é enviado direto no MiniMac como padrão, mas se for necessário tem como enviar o código no email da conta.


Criar a identidade do app

Clique em **Identifiers** do lado esquerdo, e depois no botão adicionar.



The screenshot shows the Apple Developer portal interface. The top navigation bar includes links for Safari, File, Edit, View, History, Bookmarks, Develop, Window, and Help. The address bar shows the URL developer.apple.com. The main content area is titled "Certificates, Identifiers & Profiles". On the left, a sidebar lists "Certificates", "Identifiers" (which is selected and highlighted in grey), "Devices", "Profiles", "Keys", and "Services". The "Identifiers" section contains a table with two rows. The first row has columns for "NAME" (EasyPromo - IWS) and "IDENTIFIER" (br.com.iwssistemas.epiws). The second row has columns for "NAME" (Toca do Caboclo - Promo) and "IDENTIFIER" (br.com.iws.easypromo.tocadocaboclo). At the bottom of the page, there is a footer with links for "Terms of Use" and "Privacy Policy". The bottom of the screenshot shows the Mac OS X Dock with various application icons.

Selecione a opção **App IDs** e depois clique em **Continue**



App IDs
Register an App ID to enable your app, app extensions, or App Clip to access available services and identify your app in a provisioning profile. You can enable app services when you create an App ID or modify these settings later.


Services IDs
For each website that uses Sign in with Apple, register a services identifier (Services ID), configure your domain and return URL, and create an associated private key.

Pass Type IDs
Register a pass type identifier (Pass Type ID) for each kind of pass you create (i.e. gift cards). Registering your Pass Type IDs lets you generate Apple-issued certificates which are used to digitally sign and send updates to your passes, and allow your passes to be recognized by Wallet.

Order Type IDs
Register an order type identifier (Order Type ID) to support signing and distributing order bundles with Wallet and Apple Pay. Registering your order type ID lets you generate certificates to digitally sign and send updates to your orders in Wallet.

Safari - Certificados da Apple

Selecione **App** e clique no botão **Continue**.



Select a type

App

App Clip

Safari - Certificados da Apple

No campo **Description** informe o nome do projeto.

Apple Developer

Certificates, Identifiers & Profiles

Register an App ID

Platform: iOS, iPadOS, macOS, tvOS, watchOS, visionOS

Description: Clube Ventura

App ID Prefix: F676BCGJPG (Team ID)

Bundle ID: Explicit Wildcard

Capabilities: 5G Network Slicing, Access Wi-Fi Information

App Services:

Safari - Certificados da Apple

No campo **Bundle ID** informe o nome do pacote do projeto.

Apple Developer

Certificates, Identifiers & Profiles

Register an App ID

Platform: iOS, iPadOS, macOS, tvOS, watchOS, visionOS

Description: Clube Ventura

App ID Prefix: F676BCGJPG (Team ID)

Bundle ID: Explicit Wildcard

Bundle ID: br.com.iws.easypromo.clubeventura

We recommend using a reverse-domain name style string (i.e., com.domainname.appname). It cannot contain an asterisk (*).

Capabilities: 5G Network Slicing, Access Wi-Fi Information


App Services:

Safari - Certificados da Apple

Em **Cababilities** informe todos recursos necessários para funcionar o aplicativo. No caso do **EasyPromo** os recursos são:


- 5G Network Slicing
- Aceess Wi-Fi Information
- Associated Domains
- Comunication Notifications
- Network Extensions
- Push Notifications e Broadcast Capability

Esses recursos podem ser adicionados ou removidos de acordo com a necessidade do app, mas qualquer alteração também deverá ser feita do projeto no **XCode**.



Safari - Certificados da Apple

Depois clique no botão **Continue**. Depois verifique se as informações estão corretas e depois clique no botão **Register**.



The screenshot shows the 'Certificates, Identifiers & Profiles' section of the Apple Developer portal. It displays the following details for an app:

- Platform:** iOS, iPadOS, macOS, tvOS, watchOS, visionOS
- App ID Prefix:** F676BCGJPG (Team ID)
- Description:** Clube Ventura
- Bundle ID:** br.com.iws.easypromo.clubeventura (explicit)

The 'Capabilities' tab is selected, showing the following enabled capabilities:


- 5G Network Slicing
- Access Wi-Fi Information

At the bottom, there is a toolbar with various icons for managing certificates, identifiers, profiles, and keys.

Safari - Certificados da Apple

Criar o perfil do app

Voltando para pagina inicial dos certificados, clique na opção **Profiles** do lado esquerdo.



The screenshot shows the 'Certificates, Identifiers & Profiles' section of the Apple Developer portal. The left sidebar shows the following navigation options:

- Certificates
- Identifiers** (selected)
- Devices
- Profiles** (with a hand cursor icon)
- Keys
- Services

The main content area is titled 'Identifiers' and shows a list of identifiers:

NAME	IDENTIFIER
Clube Ventura	br.com.iws.easypromo.clubeventura
EasyPromo - IWS	br.com.iwssistemas.epiws
Toca do Caboclo - Promo	br.com.iws.easypromo.tocadocaboclo
XC Wildcard	*

Safari - Certificados da Apple

Clique no botão para adicionar o perfil.



Certificates, Identifiers & Profiles

Certificates

Identifiers

Devices

Profiles

Keys

Services

Profiles

NAME	PLATFORM	TYP
NovoProv	iOS	App
prov-ep-toca	iOS	App

Safari - Certificados da Apple

Depois em **Distribuition** selecione a opção **App Store Connect** e clique no botão **Continue**.

Register a New Provisioning Profile



Development

- iOS App Development**
Create a provisioning profile to install development apps on iOS, iPadOS, watchOS, and visionOS test devices.
- tvOS App Development**
Create a provisioning profile to install development apps on tvOS test devices.
- macOS App Development**
Create a provisioning profile to install development apps on test devices.
- DriverKit App Development**
Create a provisioning profile to install development driverkit extensions on iOS, iPadOS, and macOS test devices.

Distribution

- Ad Hoc**
Create a distribution provisioning profile to install your app on a limited number of registered devices.
- tvOS Ad Hoc**
Create a distribution provisioning profile to install your app on a limited number of registered tvOS devices.
- App Store Connect**
Create a distribution provisioning profile to submit your app to App Store Connect.

Safari - Certificados da Apple

Em **App ID** selecione o ID criado do aplicativo referente. Depois clique no botão **Continue**.

Developer

Robson Francisi
RE INFORMATICA LTDA - F676BCGJF

Certificates, Identifiers & Profiles

< All Profiles

Generate a Provisioning Profile

Back

Continue

Select Type > Configure > Generate > Download

Select an App ID

If you plan to use services such as Game Center, In-App Purchase, and Push Notifications, or want a Bundle ID unique to a single app, use an explicit App ID. Uploading apps to the App Store requires an explicit App ID. In the future, wildcard app IDs will no longer appear when creating an App Store provisioning profile.

App ID: 4 App IDs
 Clube Ventura (F676BCGJPG.br.com.iws.easypromo.clubev... X | ▾

Copyright © 2025 Apple Inc. All rights reserved. | Terms of Use | Privacy Policy

Safari - Certificados da Apple

Na seleção de certificados, o certificado válido é a segunda opção. Selecione o certificado e clique no botão **Continue**.

Developer

Robson Francisi
RE INFORMATICA LTDA - F676BCGJF

Certificates, Identifiers & Profiles

< All Profiles

Generate a Provisioning Profile

Back

Continue

Select Type > Configure > Generate > Download

Select Certificates

Select the certificates you wish to include in this provisioning profile. To use this profile to install an app, the certificate the app was signed with must be included.

RE INFORMATICA LTDA (Distribution) For use in Xcode 11 or later Oct 31, 2025

RE INFORMATICA LTDA (Distribution) For use in Xcode 11 or later Oct 31, 2025

Copyright © 2025 Apple Inc. All rights reserved. | Terms of Use | Privacy Policy

Safari - Certificados da Apple

No campo **Provisioning Profile Name** defina nome do certificado de perfil do app. Depois clique no botão **Generate**.

Certificates, Identifiers & Profiles

[« All Profiles](#)

Generate a Provisioning Profile

[Back](#)

[Generate](#)

Select Type > Configure > Generate > Download

Review, Name and Generate.

The name you provide will be used to identify the profile in the portal.

Provisioning Profile Name

ProvClubeVentura

Type

App Store

App ID

Clube Ventura(F676BCGJPG.br.com.iws.easypromo.clubeventura)

Certificates

1 Selected

Copyright © 2025 Apple Inc. All rights reserved. | [Terms of Use](#) | [Privacy Policy](#)

Safari - Certificados da Apple

Clique no botão **Download** e salve o arquivo na raiz do projeto.

 Developer

Robson Francisco
RE INFORMATICA LTDA - F676BCGJF

Certificates, Identifiers & Profiles

[« All Profiles](#)

Generate a Provisioning Profile

[Download](#)



Download and Install

Download and double click the following file to install your Provisioning Profile.

Name: ProvClubeVentura

Type: App Store

App ID: F676BCGJPG.br.com.iws.easypromo.clubeventura

Expires: 2025/10/31

Copyright © 2025 Apple Inc. All rights reserved. | [Terms of Use](#) | [Privacy Policy](#)

Safari - Certificados da Apple


Configurando o EasyPromo - WebView

Copie do projeto modelo um novo projeto na área de trabalho do MiniMac.



MINiMac - Sonoma - Área de Trabalho


Troque o ícone do aplicativo para logo desejado. Vá no diretório do projeto. Acesse: **Assets.xcassets** depois em **AppIcon.appiconset** e substitua o arquivo **AppIcon.jpg** pelo mesmo nome.



MINiMac - Xcode

A Apple exige que o ícone seja **1024x1024** e não contenha fundo transparente recomendando então o tipo **jpg**

Abra o **XCode** e o projeto modelo do **WebView - EasyPromo**.



MINiMac - Xcode

Configurando projeto EasyPromo

No diretório do lado esquerdo localize o **Content View**.



The screenshot shows the Xcode interface with the file structure on the left and the code editor on the right. The file structure includes 'ep-webview' (with 'ep-webview' and 'ep-webviewApp' subfolders), 'ContentView', 'Assets', 'ep_webviewApp', 'Info', 'Assets', 'Preview Content', 'Info', 'AppDelegate', 'GoogleService-Info', 'Products', 'Frameworks', and 'package Dependencies' (with 'absell', 'AppCheck', 'Firebase', 'GoogleAppMeasurement', 'GoogleDataTransport', and 'GoogleUtilities' listed). The 'ContentView' file is selected and highlighted with a blue background. The code editor displays the 'ContentView.swift' file, which contains the following code:

```
12 struct WebView: UIViewControllerRepresentable {
13     class Coordinator: NSObject, WKScriptMessageHandler, WKNavigationDelegate {
14         func webView(_ webView: WKWebView, didFailProvisionalNavigation navigation: WKNavigation!, withError error: Error) {
15             print("Failed to load page")
16         }
17     }
18 }
19
20 struct ContentView: View {
21     @State private var showWebView = false
22
23     var body: some View {
24         ZStack {
25             if showWebView {
26                 WebView(url: URL(string:
27                     "https://easypromo.ajs.com.br/?account_token=f1df08a7-f28d-446d-8598-781fa01fb246"))!
28                     .edgesIgnoringSafeArea(.all)
29             } else {
30                 VStack {
31                     Text("Bem-vindo ao EasyPromo")
32                         .font(.largeTitle)
33                         .padding()
34                         .multilineTextAlignment(.center)
35                     ProgressView()
36                         .progressViewStyle(CircularProgressViewStyle())
37                         .padding()
38                 }
39             }
40         .frame(maxWidth: .infinity, maxHeight: .infinity) // Garante que o VStack ocupe toda a tela
41         .background(Color.white) // Define um fundo branco para garantir que ocupe a tela inteira
42         .ignoresSafeArea() // Ignora áreas seguras para o VStack
43         .onAppear {
44             // Exibe a WebView após 3 segundos
45             DispatchQueue.main.asyncAfter(deadline: .now() + 3) {
46                 showWebView = true
47             }
48         }
49     }
50 }
```

MINIMAC - Xcode

Após abrir o **Content View** localize a **URL** do **EasyPrmo** e troque pelo token da conta que será utilizado no aplicativo.




The screenshot shows the Xcode interface with the following details:

- Project Navigator (Left):** Shows the project structure with files like `ep-webview`, `ep-webviewApp`, `Assets`, `Info`, and `GoogleService-Info`.
- Code Editor (Right):** Displays the `ContentView.swift` file content. The code defines a `WebView` and a `ContentView` struct. The `WebView` struct contains a `Coordinator` class with a `webView(_:webView:didFailProvisionalNavigation:)` method. The `ContentView` struct contains a `body` property and a `body: some View` block. This block uses a `ZStack` to conditionally render a `WebView` or a `VStack` with a welcome message and a progress view. The `WebView` is configured with a URL and edgesIgnoringSafeArea set to `.all`. The `VStack` has a large title, padding, and center alignment. A `ProgressView` is also present. The `body` block ends with a `DispatchQueue.main.asyncAfter(deadline: .now() + 3) {` block.

MiniMac - Xcode

Localize a mensagem que é exibida ao carregar a **URL** do **EasyPromo** e informe o nome da aplicação.

Last update: 2025/03/27 desenvolvimento:mobile:lançar_app_na_apple_store http://wiki.iws.com.br/doku.php?id=desenvolvimento:mobile:lançar_app_na_apple_store&rev=1743093298 16:34




The screenshot shows the Xcode interface with the project structure on the left and the ContentView.swift file on the right. The ContentView.swift file contains code for a WebView component, including a struct ContentView with a body property that shows a VStack with a Text view and a ProgressView. The code also includes logic for showing the WebView based on a boolean variable showWebView.

```
12 struct WebView: UIViewControllerRepresentable {
50     class Coordinator: NSObject, WKScriptMessageHandler, WKNavigationDelegate {
71         func webView(_ webView: WKWebView, didFailProvisionalNavigation navigation: WKNavigation!, withError error: ...
73     }
74 }
75 }
77 struct ContentView: View {
78     @State private var showWebView = false
79
80     var body: some View {
81         ZStack {
82             if showWebView {
83                 WebView(url: URL(string:
84                     "https://easypromo.iws.com.br/?account_token=cd40e9a1-4255-489f-8684-8369ba9f3ad6")!)
85             .edgesIgnoringSafeArea(.all)
86         } else {
87             VStack {
88                 Text("Bem-vindo ao Clube Ventura")
89                     .font(.largeTitle)
90                     .padding()
91                     .multilineTextAlignment(.center)
92             ProgressView()
93                 .progressViewStyle(CircularProgressViewStyle())
94             }
95             .frame(maxWidth: .infinity, maxHeight: .infinity) // Garante que o VStack ocupe toda a tela
96             .background(Color.white) // Define um fundo branco para garantir que ocupe a tela inteira
97             .ignoresSafeArea() // Ignora áreas seguras para o VStack
98             .onAppear {
99                 // Exibe a WebView após 3 segundos
100                DispatchQueue.main.asyncAfter(deadline: .now() + 3) {
101                    showWebView = true
102                }
103            }
104        }
105    }
106 }
107
108 // Exibe a WebView após 3 segundos
109 DispatchQueue.main.asyncAfter(deadline: .now() + 3) {
110     showWebView = true
111 }
```

MIniMac - Xcode


Atualize o arquivo **GoogleService-Info.plist** do Firebase no projeto.



MIniMac - Xcode


Configurando certificado

No lado esquerdo, clique no **ep-webview** do diretório, e ao abrir o painel do projeto clique na guia **General** e defina o nome do app no **Display Name**.



MIniMac - Xcode


Agora vá na guia **Signing & Capabilities**. Vá em **Signing (Release)** e no campo **Bundle Identifier** informe o nome do pacote do projeto.




MIniMac - Xcode

Em **Provisioning Profile** selecione o certificado de perfil do app gerado para esse pacote definido e clique no botão **Open**.

Last update: 2025/03/27 desenvolvimento:mobile:lançar_app_na_apple_store http://wiki.iws.com.br/doku.php?id=desenvolvimento:mobile:lançar_app_na_apple_store&rev=1743093298 16:34




MINIMAC - Xcode




MINIMAC - Xcode

Para enviar o **release** do aplicativo para a plataforma da **App Connect**. Clique no menu **Product**.




Depois clique em **Arquivo**.



MINIMAC - Xcode


Depois clique no botão **Validate App**, para confirmar se está tudo de acordo com as políticas da Apple.



MINIMAC - Xcode


Depois clique no botão **Validate**.

Last update: 2025/03/27 desenvolvimento:mobile:lançar_app_na_apple_store http://wiki.iws.com.br/doku.php?id=desenvolvimento:mobile:lançar_app_na_apple_store&rev=1743093298 16:34




MINIMAC - Xcode

Selecione a linguagem primária do App e clique no botão **Next**.




MINIMAC - Xcode

Depois aguarde a validação.



MINIMAC - Xcode


Depois clique no botão **Done** para concluir. Após voltar para tela de validações clique no botão **Distribute App**.



MINIMAC - Xcode


Depois selecione **App Store Connect** e clique no botão **Distribute**.

Last update: 2025/03/27 desenvolvimento:mobile:lançar_app_na_apple_store http://wiki.iws.com.br/doku.php?id=desenvolvimento:mobile:lançar_app_na_apple_store&rev=1743093298 16:34




MINIMAC - Xcode

E aguarde concluir.



MINIMAC - Xcode

Alguns avisos serão listados, nesse caso é referente ao certificado gerado pela Firebase da Google. Clique em **Done** para continuar.



MINiMac - Xcode

Após concluir a tela de validação irá informar o status da build.

Name	Creation Date	Version	Status
ep-webview	26 Mar 2025 at 17:13	1.0.0 (1)	✓ Uploaded to Apple

MINiMac - Xcode

Criar a página Apple Store

Para criar a página do aplicativo na **Apple Store**, precisa acessar a plataforma [App Store Connect](#)

Os dados de login se encontram na planilha, a autenticação de dois fatores está ativada, mas o código é enviado direto no MINiMac como padrão, mas se for necessário tem como enviar o código no email da conta.

Ao se autenticar clique em **Apps**.

App Store Connect

Robson Franci
RE INFORMATICA LT



Apps



App Analytics



Sales and Trends



Payments and Financial Reports




Business



Users and Access

App Store Connect

Serão exbidos os aplicativos já cadastrados, mas aparecerá também a build que foi feita o upload através do **XCode**. Nesse caso clique na build **ep-webview**.



Apps



ep-webview

🟡 iOS 1.0 Prepare for Submission



Toca do Caboclo - Promo

🟢 iOS 1.0 Ready for Distribution



EasyPromo - IWS

🟢 iOS 1.0.2 Ready for Distribution

AnyDesk

App Store Connect

Em **Previews and Screenshots** suba os prints para **Iphone** e também **IPad** eferentes ao apple.

ep-webview ▾ Distribution TestFlight Xcode Cloud

iOS App **iOS App Version 1.0** **Save** **Add**

1.0 Prepare for Submission

Add Platform

General

- App Information
- App Review
- History

App Store

- TRUST & SAFETY
- App Privacy
- Ratings and Reviews

GROWTH & MARKETING

- In-App Events
- Custom Product Pages
- Product Page Optimization

Promotional Text ?

The assets and metadata below appear on your app's product page, when users install your app, and will be used for web engine search results once you release your app. **Portuguese (Brazil)**

6.9" Display | 6.5" Display



0 of 3 App Previews | 5 of 10 Screenshots | [Choose File](#) | [Delete All](#)

App Store Connect

Para conseguir os prints do **iPhone** e **IPad** foi utilizado o **Google Chrome** que permite gerar prints na resolução nativa do **iPhone** e **IPad**

Preencha os campos **Promotion Text**, **Description**, **Keywords** e **Support URL**.

ep-webview ▾ Distribution TestFlight Xcode Cloud

iOS App **iOS App Version 1.0** **Save** **Add**

1.0 Prepare for Submission

Add Platform

General

- App Information
- App Review
- History

App Store

Promotional Text ?

Baixe o app do Clube Ventura e aproveite descontos, cashback e pontos para trocar por produtos!   Economize mais a cada compra!  

Description ?

- 1 Baixe o app e cadastre-se gratuitamente.
- 2 Aproveite promoções e acumule pontos automaticamente ao comprar no supermercado.
- 3 Resgate seus pontos e cashback quando quiser e economize ainda mais!

Baixe agora e transforme suas compras no Supermercado Ventura em uma experiência ainda mais vantajosa! 


Keywords ?

app de supermercado, clube de vantagens, fidelidade, cupons, economia, clube ventura, economizar

App Store Connect

Em **Build** clique no botão **Add Build**.

Last update: 2025/03/27 desenvolvimento:mobile:lançar_app_na_apple_store http://wiki.iws.com.br/doku.php?id=desenvolvimento:mobile:lançar_app_na_apple_store&rev=1743093298 16:34




The screenshot shows the 'iOS App Version 1.0' page in App Store Connect. The 'Build' section is highlighted, showing a table with one row: BUILD 1, VERSION 1.0.0, and a warning icon indicating 'Missing Compliance'. A tooltip explains that selecting this build requires answering questions about export compliance. The 'Add Build' button is visible at the bottom right of the modal.

BUILD	VERSION	
1	1.0.0	 Missing Compliance

App Store Connect

Selecione a **Build** e clique no botão **Done**.



The screenshot shows the 'iOS App Version 1.0' page in App Store Connect with the 'Add Build' modal open. The modal contains a table with one row: BUILD 1, VERSION 1.0.0, and a warning icon indicating 'Missing Compliance'. A tooltip explains that selecting this build requires answering questions about export compliance. The 'Add Build' button is visible at the bottom right of the modal.

BUILD	VERSION	
1	1.0.0	 Missing Compliance

App Store Connect

Depois na **Build** adicionada clique em **Manage** para definir o uso de criptografia.

iOS App Version 1.0

results once you release your app.

Build

BUILD	VERSION	STATUS
1	1.0.0	⚠ Missing Compliance Manage

Included Assets

App Icon

App Store

- TRUST & SAFETY
- App Privacy
- Ratings and Reviews

GROWTH & MARKETING

- In-App Events
- Custom Product Pages
- Product Page Optimization

App Store Connect

Selecione a opção **None of the algorithms mentioned above** e depois no botão **Save**.

Learn More'."/>

iOS App Version 1.0

results once you release your app.

Build

BUILD	VERSION	STATUS
1	1.0.0	⚠ Missing Compliance Manage

Included Assets

App Icon

App Store

- TRUST & SAFETY
- App Privacy
- Ratings and Reviews

GROWTH & MARKETING

- In-App Events
- Custom Product Pages
- Product Page Optimization

App Encryption Documentation

What type of encryption algorithms does your app implement?

Encryption algorithms that are proprietary or not accepted as standard by international standard bodies (IEEE, IETF, ITU, etc.)

Standard encryption algorithms instead of, or in addition to, using or accessing the encryption within Apple's operating system

Both algorithms mentioned above

None of the algorithms mentioned above

i It is your responsibility to comply with export regulations, and you should revisit these questions if your encryption or exemption status changes. Since your build doesn't contain encryption, you can specify this in the information property list (Info.plist) in your Xcode project to avoid answering encryption questions with each app submission. [Learn More](#)

Save

App Store Connect

Em **App Review Information** informe os dados de login do aplicativo para homologação da equipe da **Apple** em **Sign-in required**. Tambem preencha as informações de contato para equipe da **Apple** entre em contato caso necessário.

Last update: 2025/03/27 desenvolvimento:mobile:lançar_app_na_apple_store http://wiki.iws.com.br/doku.php?id=desenvolvimento:mobile:lançar_app_na_apple_store&rev=1743093298 16:34

iOS App Version 1.0

1.0 Prepare for Submission

Save Add

App Review Information

Sign-In Information ?
Provide a user name and password so we can sign in to your app. We'll need this to complete your app review.

Sign-in required

homolog@iws.com.br *****

Contact Information ?

Robson Francisco
+5599999999999 email@iws.com.br

Notes ?

Attachment ?

Choose File (Optional)

General

- App Information
- App Review
- History

App Store

- TRUST & SAFETY
- App Privacy
- Ratings and Reviews

GROWTH & MARKETING

- In-App Events
- Custom Product Pages

Product Page Optimization

App Store Connect

Agora clique no botão **Save**.

iOS App Version 1.0

Save Add

App Store Version Release

To make your app available on the App Store, you can automatically release it after it's been approved by App Review. You can also manually release it on the App Store later date.

Manually release this version
 Automatically release this version
 Automatically release this version after App Review, no earlier than
Your local date and time.

March 27, 2025 10:00 AM Mar 27, 2025 1:00 PM (GMT)

App Store Connect

Copyright © 2025 Apple Inc. All rights reserved. | Terms of Service | Privacy Policy | Contact Us

App Store Connect

No menu do lado esquerdo vá em **General** e clique em **App Information**. Defina **Name** e o **Subtitle**.

App Store Connect

Apps Analytics Trends Reports Business Users and Access Robson RE INFORM.

ep-webview Distribution TestFlight Xcode Cloud

iOS App

1.0 Prepare for Submission

Add Platform

General

App Information App Review History

App Store

TRUST & SAFETY App Privacy Ratings and Reviews

App Information

Localizable Information Portuguese (Brazil)

Name: Clube Ventura

Subtitle: Clube Ventura

General Information

App Store Connect

Em **General Informations** clique em **Set Up Content Rights Information**.

App Store Connect

App Store Connect

EasyPromo - Clube Ventura Distribution TestFlight Xcode Cloud

iOS App

1.0 Prepare for Submission

Add Platform

General

App Information App Review History

App Store

TRUST & SAFETY App Privacy Ratings and Reviews

App Information

General Information

Bundle ID: br.com.iws.easypromo.clubeventura Primary Language: Portuguese (Brazil)

SKU: br.com.iws.easypromo.clubeventura Category: Primary

Apple ID: 6743806887 Secondary (optional)

Content Rights


Set Up Content Rights Information

License Agreement Edit Apple's Standard License Agreement

App Store Connect

Selecione a opção **No, it does not contain, show, or access third-party content** e clique no botão **Done**.

Last update: 2025/03/27 desenvolvimento:mobile:lançar_app_na_apple_store http://wiki.iws.com.br/doku.php?id=desenvolvimento:mobile:lançar_app_na_apple_store&rev=1743093298 16:34



App Information

This information is used for all platforms of this app. Any changes will be released with your next app version.

Content Rights

Apps that contain, show, or access third-party content must have all the necessary rights to that content or be otherwise permitted to use it under the laws of each country or region in which they're available.

Does your app contain, show, or access third-party content?

Yes, it contains, shows, or accesses third-party content, and I have the necessary rights


No, it does not contain, show, or access third-party content

[Set Up Content Rights Information](#)

[Cancel](#) [Done](#)

App Store Connect

Em **Age Rating** clique no botão **Set Age Rating**.



Age Rating

An age rating can help users better understand if your app contains any objectionable content. Regional Rating is assigned to your app based on local laws in the region. In some cases, your app's age rating can be updated to comply with local laws.

[Set Age Rating](#)

App Store Connect

Marque todas as opções como **NONE** e clique no botão **Next**.

EasyPromo - Clube Ventura

Age Rating

Select the level of frequency for each content description that best describes your app. The app's age rating that will appear on the App Store is the same across all platforms.

APPLE CONTENT DESCRIPTION	NONE	INFREQUENT/MILD	FREQUENT/INTENSE
Cartoon or Fantasy Violence	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Realistic Violence	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Prolonged Graphic or Sadistic Realistic Violence	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Profanity or Crude Humor	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>

• Standard encryption algorithms instead of, or in addition to, using or accessing the encryption within Apple's operating system

Cancel **Next**

App Store Connect

Marque as opções **No, this app doesn't contain...** e clique no botão **Next**.

EasyPromo - Clube Ventura

Age Rating

Does your app contain instances of gambling?

No, this app doesn't contain instances of gambling

Yes, this app contains instances of gambling

Does your app contain purchasable loot boxes? These virtual containers provide players with in-game items, including functional cards or cosmetic modifications, based on random chance.

Yes, this app contains purchasable loot boxes

No, this app doesn't contain purchasable loot boxes


• Standard encryption algorithms instead of, or in addition to, using or accessing the encryption within Apple's operating system

Back **Cancel** **Next**

App Store Connect

Marque a opção **Not applicable to this app** e clique no botão **Next**.

Last update: 2025/03/27 16:34
desenvolvimento:mobile:lancar_app_na_apple_store http://wiki.iws.com.br/doku.php?id=desenvolvimento:mobile:lancar_app_na_apple_store&rev=1743093298



EasyPromo - Clube Ventura ▾ Distribution TestFlight Xcode Cloud

iOS App

1.0 Prepare for Submission

Add Platform

General

App Information

App Review

History

App Store

TRUST & SAFETY

App Privacy

Ratings and Reviews

GROWTH & MARKETING

In-App Events

Custom Product Pages

Age Categories (Optional)

If your app is designed for certain age groups, you can select an option below. Make sure your content descriptions are accurate because they may still affect where your app is available.

Not applicable to this app

This app is Made for Kids

The Kids category is a great way for people to easily find apps that are designed for children. Keep in mind that once your Made for Kids app is approved by App Review, the app and all subsequent updates will need to follow the Kids category guidelines unless you create a new app in App Store Connect. Apps that are Made for Kids cannot be available on visionOS.


This app is 17+

If you believe your app's content may not be suitable for children under 17, you can manually set the age rating to 17+ Years Old. This will not affect your app's availability.

Back Cancel Next

App Store Connect

Depois clique no botão **Done**.



EasyPromo - Clube Ventura ▾ Distribution TestFlight Xcode Cloud

iOS App

1.0 Prepare for Submission

Add Platform

General

App Information

App Review

History

App Store

TRUST & SAFETY

App Privacy

Ratings and Reviews

GROWTH & MARKETING

In-App Events

Custom Product Pages

Age Rating

4+ Age Rating

Regional Rating

Your app's age rating in different countries or regions is displayed below. These are assigned to your app based on local laws in that region.

Brazil

BR Rating

Back Cancel Done

App Store Connect

From:
<http://wiki.iws.com.br/> - Documentação de software

Permanent link:
http://wiki.iws.com.br/doku.php?id=desenvolvimento:mobile:lancar_app_na_apple_store&rev=1743093298

Last update: 2025/03/27 16:34